

EXHIBIT 64

Exhibit Copying-5 – Evidence of Hierarchy Copying

“aaa” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹	Date On Which Arista Added Command to Source Code & EOS Version
aaa accounting	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	aaa accounting	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 31, 2010 EOS 4.7
aaa accounting dot1x	IOS XE 3.5; NX-OS 4.0 through 6.2	aaa accounting dot1x	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 8, 2013 4.13.3

¹ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version
aaa authentication login	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	aaa authentication login	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 15, 2008 2.1.0
aaa authorization config-commands	Cisco IOS 11.2 through 15.4; IOS XE 3.5	aaa authorization config-commands	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 3, 2008 3.0.0
aaa authorization console	Cisco IOS 12.0 through 15.4; IOS XE 3.5	aaa authorization console	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 17, 2010 4.4.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears¹	Date On Which Arista Added Command to Source Code & EOS Version
aaa group server radius	Cisco IOS 12.0 through 15.4; IOS XR 3.2 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	aaa group server radius	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 19, 2009 4.2.0
aaa group server tacacs+	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	aaa group server tacacs+	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 16, 2008 2.1.0

“bgp” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears²	Date On Which Arista Added Command to Source Code & EOS Version
bgp client-to-client reflection	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	bgp client-to-client reflection	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 31, 2011 4.8.3
bgp cluster-id	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp cluster-id	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 31, 2011 4.8.3
bgp confederation identifier	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp confederation identifier	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 1, 2013 4.11.3

² At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears²	Date On Which Arista Added Command to Source Code & EOS Version
bgp confederation peers	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5; NX-OS 4.0 through 6.2	bgp confederation peers	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 1, 2013 4.11.3
bgp listen limit	Cisco IOS 12.2 through 15.4; ; IOS XE 3.5	bgp listen limit	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 1, 2011 4.7.4
bgp log-neighbor-changes	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 3.5; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	bgp log-neighbor-changes	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 1, 2009 4.4.0
bgp redistribute-internal	Cisco IOS 12.1 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp redistribute-internal (BGP)	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 1, 2012 4.12.0

“clear” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears³	Date On Which Arista Added Command to Source Code & EOS Version
clear arp-cache	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	clear arp-cache	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 26, 2009 4.0.0
clear counters	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	clear counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 10, 2008 2.1.0
clear ip arp	NX-OS 4.0 through 6.2	clear ip arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2010 4.5.0

³ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears³	Date On Which Arista Added Command to Source Code & EOS Version
clear ip bgp	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clear ip bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 1, 2010 4.4.0
clear ip igmp group	Cisco IOS 11.0 through 15.4; IOS XE 3.5	clear ip igmp group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 24, 2010 4.5.0
clear ip mroute	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	clear ip mroute	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 25, 2010 4.5.0
clear ip msdp sa-cache	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	clear ip msdp sa-cache	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 3, 2012 4.11.1

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears³	Date On Which Arista Added Command to Source Code & EOS Version
clear ip nat translation	Cisco IOS 11.2 through 15.4; IOS XE 3.5	clear ip nat translation	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 20, 2012 4.11.1
clear ip ospf neighbor	Cisco IOS 11.1 through 15.4; NX-OS 4.0 through 6.2	clear ip ospf neighbor	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 8, 2003 4.12.3
clear ipv6 neighbors	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clear ipv6 neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 29, 2013 4.13.3-13scale
clear ipv6 ospf force-spf	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	clear ipv6 ospf force-spf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 20, 2011 4.10.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears³	Date On Which Arista Added Command to Source Code & EOS Version
clear lldp counters	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	clear lldp counters	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 10, 2009 4.2.0
clear lldp table	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	clear lldp table	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 7, 2010 4.6.2
clear mac-address-table dynamic	Cisco IOS 12.2 through 15.0; NX-OS 4.0 through 6.2	clear mac address-table dynamic	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 4, 2008 2.3.0
clear spanning-tree counters	NX-OS 4.0 through 6.2	clear spanning-tree counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 14, 2007 2.0.0

“dot1x” command hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁴	Date On Which Arista Added Command to Source Code & EOS Version
dot1x max-reauth-req	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x max-reauth-req	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 20, 2013 4.13.3
dot1x pae authenticator	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	dot1x pae authenticator	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 8, 2013 4.13.3
dot1x port-control	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x port-control	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 20, 2013 4.13.3
dot1x reauthentication	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x reauthentication	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 20, 2013 4.13.3

⁴ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁴	Date On Which Arista Added Command to Source Code & EOS Version
dot1x system-auth-control	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x system-auth-control	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 20, 2013 4.13.3
dot1x timeout quiet-period	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout quiet-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 20, 2013 4.13.3
dot1x timeout reauth-period	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout reauth-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 20, 2013 4.13.3
dot1x timeout tx-period	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout tx-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 20, 2013 4.13.3

“ip” hierarchy

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip access-group	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip access-group	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 22, 2009 4.3.0
ip access-list	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip access-list	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 22, 2009 4.3.0
ip access-list standard	Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	ip access-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 25, 2010 4.6.0

⁵ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip address	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 22, 2005 2.0.0
ip as-path access-list	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip as-path access-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 1, 2010 4.6.0
ip community-list expanded	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip community-list expanded	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 1, 2011 4.8.1
ip community-list standard	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip community-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 1, 2011 4.8.1

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip dhcp smart-relay	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	ip dhcp smart-relay	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 24, 2013 4.12.4
ip dhcp smart-relay global	IOS XE 3.5; NX-OS 5.2 through 6.2	ip dhcp smart-relay global	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 1, 2013 4.12.4
ip dhcp snooping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 4, 2013 4.13.0
ip dhcp snooping information option	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping information option	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 4, 2013 4.13.0
ip dhcp snooping vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping vlan	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 4, 2013 4.13.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip domain lookup	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip domain lookup	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 13, 2012 4.11.0
ip domain name	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip domain-name	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 15, 2011 2.0.0
ip extcommunity-list expanded	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	ip extcommunity-list expanded	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 1, 2011 4.8.1
ip extcommunity-list standard	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	ip extcommunity-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 1, 2011 4.8.1

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip helper-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ip helper-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 5, 2011 4.8.2
ip host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip host	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 21, 2011 4.10.0 4.9.4
ip http client source-interface	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ip http client source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 15, 2011 4.8.1
ip icmp redirect	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ip icmp redirect	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 24, 2011 4.8.1

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip igmp last-member-query-count	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp last-member-query-count	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0
ip igmp last-member-query-interval	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip igmp last-member-query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0
ip igmp query-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0
ip igmp query-max-response-time	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp query-max-response-time	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip igmp snooping	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp snooping	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0
ip igmp snooping querier	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp snooping querier	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0
ip igmp snooping vlan	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0
ip igmp snooping vlan immediate-leave	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan immediate-leave	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 23, 2011 4.7.5

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip igmp snooping vlan mrouter	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan mrouter	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0
ip igmp snooping vlan static	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan static	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0
ip igmp startup-query- interval	NX-OS 4.0 through 6.2	ip igmp startup-query- interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0
ip igmp startup-query-count	NX-OS 4.0 through 6.2	ip igmp startup-query-count	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip igmp static-group	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip igmp static-group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0
ip igmp version	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp version	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0
ip load-sharing	Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5	ip load-sharing	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 6, 2009 4.0.0
ip local-proxy-arp	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip local-proxy-arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 14, 2012 4.9.2

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip msdp cache-sa-state	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp cache-sa-state	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 28, 2012 4.11.0
ip msdp default-peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp default-peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 14, 2012 4.11.0
ip msdp description	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp description	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 9, 2012 4.11.0
ip msdp group-limit	NX-OS 4.0 through 6.2	ip msdp group-limit	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 2, 2012 4.11.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip msdp keepalive	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp keepalive	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 28, 2012 4.11.0
ip msdp mesh-group	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp mesh-group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 28, 2012 4.11.0
ip msdp originator-id	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp originator-id	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 13, 2012 4.11.0
ip msdp peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 19, 2010 4.5.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip msdp sa-filter in	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp sa-filter in	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 9, 2012 4.11.0
ip msdp sa-filter out	Cisco IOS 12.0 through 15.4; IOS XE 3.5;	ip msdp sa-filter out	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 9, 2012 4.11.0
ip msdp sa-limit	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp sa-limit	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 2, 2012 4.11.0
ip msdp shutdown	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp shutdown	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 9, 2012 4.11.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip msdp timer	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip msdp timer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 9, 2012 4.11.0
ip multicast boundary	Cisco IOS 11.1 through 15.4; IOS XE 3.5	ip multicast boundary	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 10, 2010 4.5.0
ip multicast-routing	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ip multicast-routing	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 10, 2010 4.5.0
ip name-server	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip name-server	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 15, 2007 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip nat pool	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat pool	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 21, 2012 4.11.1
ip nat translation tcp-timeout	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat translation tcp-timeout	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 11, 2013 4.11.3
ip nat translation udp-timeout	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat translation udp- timeout	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 11, 2013 4.11.3
ip ospf authentication	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf authentication	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0
ip ospf authentication-key	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf authentication-key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip ospf bfd	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip ospf bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 25, 2013 4.12.3
ip ospf cost	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf cost	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0
ip ospf dead-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf dead-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0
ip ospf hello-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf hello-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip ospf message-digest-key	Cisco IOS 11.0 through 15.4; IOS XR 3.0; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf message-digest-key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0
ip ospf name-lookup	Cisco IOS 11.0 through 15.4; IOS XE 3.5	ip ospf name-lookup	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 27, 2009 4.3.0
ip ospf network	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf network	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 3, 2011 4.7.0
ip ospf priority	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf priority	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip ospf retransmit-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf retransmit-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0
ip ospf shutdown	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf shutdown	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0
ip ospf transmit-delay	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf transmit-delay	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 27, 2009 4.3.0
ip pim anycast-rp	NX-OS 4.0 through 6.2	ip pim anycast-rp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 25, 2010 4.5.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip pim bfd	Cisco IOS 15.4; NX-OS 5.0 through 6.2	ip pim bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 25, 2013 4.12.3
ip pim bfd-instance	NX-OS 5.0 through 6.2	ip pim bfd-instance	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 25, 2013 4.12.3
ip pim bsr-border	Cisco IOS 11.3 through 15.4; IOS XE 3.5	ip pim bsr-border	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 28, 2012 4.9.2
ip pim bsr-candidate	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim bsr-candidate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 28, 2012 4.9.2
ip pim dr-priority	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim dr-priority	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 19, 2010 4.5.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip pim log-neighbor-changes	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim log-neighbor-changes	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 1, 2011 4.9.0
ip pim neighbor-filter	Cisco IOS 11.3 through 15.4; IOS XE 3.5	ip pim neighbor-filter	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 26, 2010 4.6.0
ip pim query-interval	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5;	ip pim query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 19, 2010 4.5.0
ip pim register-source	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	ip pim register-source	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 30, 2011 4.9.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip pim rp-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim rp-address	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 19, 2010 4.5.0
ip pim rp-candidate	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim rp-candidate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 28, 2012 4.9.2
ip pim sparse-mode	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim sparse-mode	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 19, 2010 4.5.0
ip pim spt-threshold	Cisco IOS 11.1 through 15.4; IOS XR 3.0; IOS XE 3.5	ip pim spt-threshold	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 5, 2010 4.5.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip pim spt-threshold group-list	Cisco IOS 11.1 through 15.4	ip pim spt-threshold group-list	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 14, 2012 4.13.3
ip pim ssm range	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim ssm range	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 7, 2011 4.8.2
ip prefix-list	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip prefix-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 1, 2010 4.6.0
ip protocol	Cisco IOS 12.0 through 15.4	ip protocol (Monitor Reachability Probe Transmitter)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 24, 2012 4.13.0
ip proxy-arp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip proxy-arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 22, 2005 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip radius source-interface	Cisco IOS 11.3 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip radius source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 28, 2011 4.9.3
ip rip v2-broadcast	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip rip v2-broadcast	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 1, 2011 4.8.1
ip route	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip route	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 22, 2005 2.0.0
ip routing	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip routing	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 22, 2005 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁵	Date On Which Arista Added Command to Source Code & EOS Version
ip tacacs source-interface	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip tacacs source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 17, 2011 4.7.0
ipv6 access-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ipv6 access-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 22, 2012 4.10.1

“ipv6” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶	Date On Which Arista Added Command to Source Code & EOS Version
ipv6 address	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 1, 2010 4.4.0
ipv6 dhcp relay destination	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 dhcp relay destination	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 5, 2012 4.11.0
ipv6 enable	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ipv6 enable	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 1, 2010 4.4.0

⁶ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁶	Date On Which Arista Added Command to Source Code & EOS Version
ipv6 host	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ipv6 host	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 1, 2011 4.10.0 4.9.4
ipv6 ipv6 access-group	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ipv6 access-group	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 22, 2012 4.10.1
ipv6 nd managed-config-flag	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd managed-config-flag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 1, 2011 4.9.0
ipv6 nd ns-interval	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ns-interval	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 1, 2012 4.11.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁶	Date On Which Arista Added Command to Source Code & EOS Version
ipv6 nd other-config-flag	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd other-config-flag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 1, 2011 4.9.0
ipv6 nd prefix	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.2 through 6.2	ipv6 nd prefix	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 1, 2011 4.9.0
ipv6 nd ra interval	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ra interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 1, 2011 4.9.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁶	Date On Which Arista Added Command to Source Code & EOS Version
ipv6 nd ra lifetime	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ra lifetime	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 1, 2011 4.9.0
ipv6 nd ra suppress	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 nd ra suppress	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 1, 2011 4.9.0
ipv6 nd reachable-time	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd reachable-time	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 1, 2011 4.9.0
ipv6 nd router-preference	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 nd router-preference	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 1, 2011 4.9.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁶	Date On Which Arista Added Command to Source Code & EOS Version
ipv6 neighbor	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 neighbor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 29, 2011 4.10.0
ipv6 ospf area	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf area	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 21, 2011 4.9.0
ipv6 ospf cost	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf cost	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 13, 2011 4.10.0
ipv6 ospf dead-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf dead-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 13, 2011 4.10.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁶	Date On Which Arista Added Command to Source Code & EOS Version
ipv6 ospf hello-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf hello-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 13, 2011 4.10.0
ipv6 ospf network	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf network	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 13, 2011 4.10.0
ipv6 ospf priority	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf priority	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 21, 2011 4.9.0
ipv6 ospf retransmit-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf retransmit-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 13, 2011 4.10.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁶	Date On Which Arista Added Command to Source Code & EOS Version
ipv6 ospf transmit-delay	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf transmit-delay	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 13, 2011 4.10.0
ipv6 prefix-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 5, 2012 4.10.0
ipv6 route	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 route	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 1, 2010 4.5.0
ipv6 router ospf	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 router ospf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 21, 2011 4.9.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁶	Date On Which Arista Added Command to Source Code & EOS Version
ipv6 unicast-routing	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	ipv6 unicast-routing	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 1, 2010 4.5.0

“neighbor” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁷	Date On Which Arista Added Command to Source Code & EOS Version
neighbor activate	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5	neighbor activate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 13, 2012 4.10.0
neighbor allowas-in	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	neighbor allowas-in	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 22, 2012 4.10.0
neighbor default-originate	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor default-originate	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 25, 2013 4.13.0

⁷ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁷	Date On Which Arista Added Command to Source Code & EOS Version
neighbor description	Cisco IOS 11.3 through 15.4; IOS XE 3.5	neighbor description	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 10, 2011 4.7.0
neighbor ebgp-multihop	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor ebgp-multihop	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 2, 2011 4.7.0
neighbor fall-over bfd	Cisco IOS 12.2 through 15.4; IOS XE 3.5	neighbor fall-over bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 25, 2013 4.12.3
neighbor local-as	Cisco IOS 12.0 through 15.4; IOS XE 3.5	neighbor local-as	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 24, 2010 4.6.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁷	Date On Which Arista Added Command to Source Code & EOS Version
neighbor next-hop-self	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	neighbor next-hop-self	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 10, 2010 4.6.0
neighbor password	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	neighbor password	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 6, 2010 4.6.0
neighbor peer-group (assigning members)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor peer-group (neighbor assignment)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 19, 2011 4.9.0
neighbor peer-group (creating)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor peer-group (create)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 24, 2011 4.7.4

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁷	Date On Which Arista Added Command to Source Code & EOS Version
neighbor remote-as	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	neighbor remote-as	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 17, 2009 4.4.0
neighbor remove-private-as	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor remove-private-as	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 9, 2011 4.8.1
neighbor route-map	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	neighbor route-map (BGP)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 7, 2010 4.6.0
neighbor route-reflector- client	Cisco IOS 11.1 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	neighbor route-reflector- client	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 31, 2011 4.8.3

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁷	Date On Which Arista Added Command to Source Code & EOS Version
neighbor send-community	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor send-community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 7, 2011 4.8.1
neighbor shutdown	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	neighbor shutdown	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 1, 2011 4.7.0
neighbor soft-reconfiguration	Cisco IOS 11.2 through 15.4; IOS XE 3.5	neighbor soft-reconfiguration	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 11, 2011 4.9.0
neighbor timers	Cisco IOS 12.0 through 15.4; IOS XE 3.5	neighbor timers	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 24, 2010 4.6.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁷	Date On Which Arista Added Command to Source Code & EOS Version
neighbor transport connection-mode	Cisco IOS 12.4 through 15.4	neighbor transport connection-mode	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 20, 2012 4.11.0
neighbor update-source	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor update-source	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 2, 2011 4.7.0
neighbor weight	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	neighbor weight	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 8, 2012 4.10.2

“show” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁸	Date On Which Arista Added Command to Source Code & EOS Version
show aaa method-lists	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show aaa method-lists	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 4, 2008 2.2.0
show aaa sessions	Cisco IOS 15.2 through 15.4; IOS XE 3.5	show aaa sessions	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 12, 2008 3.0.0
show arp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show arp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 22, 2007 2.0.0

⁸ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show bfd neighbors	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show bfd neighbors	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 25, 2013 4.12.3
show clock	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show clock	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 1, 2007 2.0.0
show dot1q-tunnel	Cisco IOS 12.2 through 15.4; NX-OS 5.0 through 6.2	show dot1q-tunnel	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 7, 2009 4.3.0
show dot1x	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show dot1x	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	
show dot1x all summary	Cisco IOS 12.1 through 15.4; NX-OS 4.0 through 6.2	show dot1x all summary	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 13, 2013 4.13.3

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show dot1x statistics	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show dot1x statistics	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	
show environment all	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1	show environment all	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 1, 2007 2.0.0
show environment cooling	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show environment cooling	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 5, 2007 2.0.0
show environment power	IOS XR 3.0 through 5.2; NX-OS 5.0 through 6.2	show environment power	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 24, 2007 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show environment temperature	Cisco IOS 11.2 through 12.1; IOS XR 3.0 through 5.2; IOS XE 2.1	show environment temperature	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 5, 2007 2.0.0
show etherchannel	Cisco IOS 12.0 through 15.4; IOS XE 3.5	show etherchannel	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 8, 2010 4.7.0
show hostname	NX-OS 4.0 through 6.2	show hostname	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 18, 2013 4.13.0
show hosts	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show hosts	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 21, 2011 4.10.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show interfaces	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show interfaces	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 22, 2005 2.0.0
show interfaces capabilities	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show interfaces capabilities	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 19, 2006 2.0.0
show interfaces description	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces description	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 9, 2006 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show interfaces flowcontrol	IOS 12.2 through 15.4; IOS XE 3.5	show flowcontrol	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 19, 2006 2.0.0
show interfaces private-vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces private-vlan mapping	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 7, 2011 4.9.0
show interfaces status	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show interfaces status	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 19, 2006 2.0.0
show interfaces switchport	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces switchport	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 9, 2006 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show interfaces switchport backup	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show interfaces switchport backup	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 4, 2008 2.1.0
show interfaces transceiver	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show interfaces transceiver	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 24, 2011 4.7.0
show interfaces trunk	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces trunk	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 16, 2010 4.6.0
show inventory	Cisco IOS 12.4 through 15.4; IOS XR 3.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show inventory	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 13, 2007 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip access-lists	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip access-lists	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 22, 2009 4.3.0
show ip arp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip arp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 22, 2007 2.0.0
show ip bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 16, 2009 4.4.0
show ip bgp community	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip bgp community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 20, 2011 4.9.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip bgp neighbors	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp neighbors (route type)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 16, 2009 4.4.0
show ip bgp neighbors	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip bgp neighbors	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 16, 2009 4.4.0
show ip bgp paths	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp paths	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 16, 2009 4.4.0
show ip bgp peer-group	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp peer-group	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 23, 2011 4.7.4

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip bgp regexp	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp regexp	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 26, 2013 4.13.0
show ip bgp summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp summary	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 21, 2009 4.4.0
show ip community-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip community-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 7, 2011 4.8.1
show ip dhcp snooping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip dhcp snooping	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 4, 2013 4.13.0
show ip extcommunity-list	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 6.2	show ip extcommunity-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 7, 2011 4.8.1

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip helper-address	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show ip helper-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 5, 2011 4.8.2
show ip igmp groups	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp groups	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 26, 2010 4.5.0
show ip igmp interface	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp interface	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0
show ip igmp snooping	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip igmp snooping groups	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping groups	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0
show ip igmp snooping mrouter	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping mrouter	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0
show ip igmp snooping querier	Cisco IOS 12.4 through 15.4; NX-OS 4.0 through 6.2	show ip igmp snooping querier	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2008 2.3.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip interface	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 22, 2005 2.0.0
show ip interface brief	Cisco IOS 12.4 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	show ip interface brief	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 26, 2009 4.0.0
show ip mfib	Cisco IOS 15.0 through 15.4; IOS XE 2.1 through 3.5	show ip mfib	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 31, 2010 4.5.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip mroute	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip mroute	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 20, 2010 4.5.0
show ip mroute count	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip mroute count	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 16, 2010 4.6.0
show ip msdp mesh-group	NX-OS 4.0 through 6.2	show ip msdp mesh-group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 30, 2012 4.11.0
show ip msdp peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 20, 2010 4.11.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip msdp rpf-peer	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show ip msdp rpf-peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 30, 2012 4.11.0
show ip msdp sa-cache	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp sa-cache	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 20, 2010 4.11.0
show ip msdp summary	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp summary	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 29, 2012 4.12.0
show ip nat translations	Cisco IOS 11.2 through 15.4; IOS XE 3.5	show ip nat translations	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 19, 2012 4.10.0-7150

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip ospf	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip ospf	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 26, 2009 4.3.0
show ip ospf border-routers	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf border-routers	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 24, 2010 4.5.0
show ip ospf database database-summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf database database-summary	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 16, 2009 4.3.0
show ip ospf interface	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf interface	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 26, 2009 4.3.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip ospf neighbor	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip ospf neighbor	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 26, 2009 4.3.0
show ip ospf request-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf request-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 24, 2010 4.5.0
show ip ospf retransmission- list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf retransmission- list	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 24, 2010 4.5.0
show ip pim interface	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip pim interface	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 20, 2010 4.5.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip pim neighbor	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip pim neighbor	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 20, 2010 4.5.0
show ip pim rp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip pim rp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 20, 2010 4.5.0
show ip pim rp-hash	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip pim rp-hash	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 24, 2013 4.14.0
show ip prefix-list	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 26, 2010 4.6.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip rip database	Cisco IOS 12.0 through 15.4; IOS XE 3.5	show ip rip database	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 17, 2011 4.8.1
show ip rip neighbors	Cisco IOS 15.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip rip neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 31, 2009 4.3.0
show ip route	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip route	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 22, 2005 2.0.0
show ip route summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip route summary	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 15, 2011 4.8.1

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ip route tag	Cisco IOS 15.2 through 15.4	show ip route tag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 28, 2011 4.8.1
show ipv6 access-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	show ipv6 access-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 22, 2012 4.10.1
show ipv6 bgp	NX-OS 4.0 through 6.2	show ipv6 bgp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 8, 2011 4.10.0-SSO
show ipv6 bgp community	Cisco IOS 12.2; NX-OS 4.0 through 6.2	show ipv6 bgp community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 27, 2012 4.10.0-SSO

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ipv6 bgp neighbors	NX-OS 4.0 through 6.2	show ipv6 bgp neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 14, 2012 4.10.0-SSO
show ipv6 bgp summary	NX-OS 4.0 through 6.2	show ipv6 bgp summary	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 27, 2012 4.10.0-SSO
show ipv6 interface	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 7, 2010 4.4.0
show ipv6 neighbors	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 29, 2011 4.10.0-SSO

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ipv6 ospf	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 21, 2011 4.9.0
show ipv6 ospf border- routers	Cisco IOS 12.2; IOS XE 2.1 through 3.5	show ipv6 ospf border- routers	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 21, 2011 4.9.0
show ipv6 ospf interface	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 21, 2011 4.9.0
show ipv6 ospf neighbor	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf neighbor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 21, 2011 4.9.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ipv6 prefix-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 5, 2012 4.10.0-SSO
show ipv6 route	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 route	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 9, 2010 4.5.0
show ipv6 route summary	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 5.2	show ipv6 route summary	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 27, 2012 4.12.0
show ipv6 route tag	Cisco IOS 15.2 through 15.4	show ipv6 route tag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 29, 2011 4.8.1

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show isis database	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show isis database	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 26, 2012 4.11.2
show isis interface	IOS XR 3.0 through 5.2; NX-OS 4.0 through 6.2	show isis interface	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 24, 2012 4.11.2
show isis topology	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show isis topology	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 30, 2013 4.13.0
show lacp counters	IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show lacp counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 30, 2008 2.1.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show lacp interface	NX-OS 4.0 through 6.2	show lacp interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 30, 2008 2.1.0
show lacp neighbor	NX-OS 4.0 through 6.2	show lacp neighbor	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 30, 2008 2.1.0
show link state group	Cisco IOS 15.1 through 15.4; IOS XE 3.5	show link state group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 19, 2011 4.10.1
show lldp	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5	show lldp	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 3, 2009 4.2.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show lldp neighbors	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	show lldp neighbors	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 3, 2009 4.2.0
show lldp traffic	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	show lldp traffic	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 3, 2009 4.2.0
show mac access-list	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac access-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 19, 2010 4.5.0
show mac address-table	Cisco IOS 11.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 2, 2006 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show mac address-table aging time	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table aging time	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 2, 2006 2.0.0
show mac address-table count	IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table count	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 2, 2006 2.0.0
show module	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show module	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 9, 2006 2.0.0
show monitor session	Cisco IOS 12.2 through 15.0; IOS XR 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show monitor session	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 23, 2008 3.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ntp associations	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	show ntp associations	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 8, 2007 2.0.0
show ntp status	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	show ntp status	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 8, 2007 2.0.0
show policy-map control-plane	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show policy-map type control-plane	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 20, 2012 4.10.0-SSO
show policy-map interface	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	show policy-map interface type qos	EOS v. 4.11.1.2, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 20, 2012 4.10.0-SSO

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show policy-map interface control-plane	NX-OS 5.0 through 6.2	show policy-map interface control-plane	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 20, 2012 4.10.0-SSO
show port-channel summary	NX-OS 4.0 through 6.2	show port-channel summary	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 28, 2010 4.6.0
show port-channel traffic	NX-OS 4.0 through 6.2	show port-channel traffic	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 20, 2010 4.7.0
show port-security	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 23, 2010 4.4.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show port-security address	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 23, 2010 4.4.0
show port-security interface	IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 23, 2010 4.4.0
show privilege	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 6.2	show privilege	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 6, 2008 3.0.0
show ptp clock	NX-OS 5.2 through 6.2	show ptp clock	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 20, 2012 4.11.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show ptp parent	NX-OS 5.2 through 6.2	show ptp parent	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 6, 2012 4.11.0
show ptp time-property	NX-OS 5.2 through 6.2	show ptp time-property	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 10, 2012 4.11.0
show radius	IOS XR 3.2 through 5.2; NX-OS 4.0 through 6.2	show radius	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 19, 2009 4.2.0
show redundancy states	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	show redundancy states	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 29, 2006 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show reload	Cisco IOS 11.0 through 15.4; IOS XE 2.1	show reload	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	May 29, 2009 4.2.0
show role	NX-OS 4.0 through 6.2	show role	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 30, 2012 4.11.2
show route-map	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show route-map	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 4, 2010 4.6.0
show snmp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 24, 2007 2.1.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show snmp chassis	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp chassis	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 4, 2008 2.1.0
show snmp community	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp community	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 29, 2008 2.1.0
show snmp contact	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp contact	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 24, 2007 2.1.0
show snmp engineID	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp engineID	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 29, 2008 2.1.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show snmp group	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 29, 2008 2.1.0
show snmp host	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 29, 2008 2.1.0
show snmp location	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp location	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 24, 2007 2.1.0
show snmp mib	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	show snmp mib	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 26, 2013 4.10.7

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show snmp source-interface	NX-OS 5.0 through 6.2	show snmp source-interface	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 27, 2012 4.12.0
show snmp trap	NX-OS 4.0 through 6.2	show snmp trap	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 25, 2012 4.11.0
show snmp user	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp user	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 29, 2008 2.1.0
show snmp view	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	show snmp view	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 29, 2008

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show spanning-tree	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show spanning-tree	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0
show spanning-tree blockedports	NX-OS 6.2	show spanning-tree blockedports	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 7, 2007 2.0.0
show spanning-tree bridge	NX-OS 4.0 through 6.2	show spanning-tree bridge	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0
show spanning-tree interface	NX-OS 4.0 through 6.2	show spanning-tree interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show spanning-tree mst	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show spanning-tree mst	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0
show spanning-tree mst configuration	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show spanning-tree mst configuration	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 7, 2007 2.0.0
show spanning-tree mst interface	IOS XR 4.3 through 5.2; NX-OS 6.2	show spanning-tree mst interface	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0
show spanning-tree root	NX-OS 4.0 through 6.2	show spanning-tree root	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show storm-control	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show storm-control	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 30, 2010 4.6.0
show tacacs	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show tacacs	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 4, 2008 2.1.0
show track	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show track	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 28, 2011 4.10.0-SSO
show user-account	NX-OS 4.0 through 6.2	show user-account	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 29, 2010 4.7.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show users	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show users	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 14, 2006 2.1.0
show version	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show version	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 12, 2006 2.0.0
show vlan	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 7, 2006 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁸	Date On Which Arista Added Command to Source Code & EOS Version
show vlan private-vlan	NX-OS 4.0 through 6.2	show vlan private-vlan	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 8, 2011 4.7.0
show vlan summary	NX-OS 6.2	show vlan summary	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 5, 2006 2.0.0
show vrf	Cisco IOS 12.2 through 15.4; IOS XR 3.5 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show vrf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 30, 2011 4.10.0
show vrrp	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show vrrp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 15, 2010 4.4.0

“snmp-server” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹	Date On Which Arista Added Command to Source Code & EOS Version
snmp-server chassis-id	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	snmp-server chassis-id	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 4, 2008 2.1.0
snmp-server community	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server community	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 24, 2007 2.1.0
snmp-server contact	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	snmp-server contact	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 24, 2007 2.1.0

⁹ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁹	Date On Which Arista Added Command to Source Code & EOS Version
snmp-server enable traps	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server enable traps	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 1, 2010 4.7.0
snmp-server engineID local	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server engineID local	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 18, 2008 2.1.0
snmp-server engineID remote	Cisco IOS 12.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5	snmp-server engineID remote	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	February 27, 2008 2.1.0
snmp-server group	Cisco IOS 11.3 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 15, 2008 2.1.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁹	Date On Which Arista Added Command to Source Code & EOS Version
snmp-server host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 15, 2008 2.1.0
snmp-server location	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server location	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 24, 2007 2.1.0
snmp-server source-interface	Cisco IOS 12.2 through 15.4; IOS XE 2.1; NX-OS 5.0 through 6.2	snmp-server source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 4, 2011 4.7.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁹	Date On Which Arista Added Command to Source Code & EOS Version
snmp-server user	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server user	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 10, 2008 2.1.0
snmp-server view	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server view	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	January 4, 2008 2.1.0
spanning-tree bpdupfilter	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	spanning-tree bpdupfilter	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	October 13, 2009 4.3.0
spanning-tree bpduguard	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree bpduguard	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 18, 2008 3.1.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁹	Date On Which Arista Added Command to Source Code & EOS Version
spanning-tree bridge assurance	NX-OS 4.0 through 6.2	spanning-tree bridge assurance	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 6, 2010 4.6.0
spanning-tree cost	Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	spanning-tree cost	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0
spanning-tree guard	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree guard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	July 7, 2010 4.6.0
spanning-tree link-type	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree link-type	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears⁹	Date On Which Arista Added Command to Source Code & EOS Version
spanning-tree loopguard default	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree loopguard default	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 10, 2010 4.6.0
spanning-tree mode	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	spanning-tree mode	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 13, 2007 2.0.0
spanning-tree mst configuration	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	spanning-tree mst configuration	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	April 6, 2009 4.1.0
spanning-tree portfast bpdupfilter default	Cisco IOS 12.2	spanning-tree portfast bpdupfilter default	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	November 7, 2011 4.9.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ⁹	Date On Which Arista Added Command to Source Code & EOS Version
spanning-tree portfast bpduguard default	Cisco IOS 12.2	spanning-tree portfast bpduguard default	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 18, 2008 3.1.0

“spanning-tree” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹⁰	Date On Which Arista Added Command to Source Code & EOS Version
spanning-tree port-priority	Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	spanning-tree port-priority	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 7, 2007 2.0.0
spanning-tree transmit hold-count	Cisco IOS 12.2	spanning-tree transmit hold-count	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	August 20, 2007 2.0.0
spanning-tree vlan	Cisco IOS 12.0 through 15.4; IOS XE 2.1; NX-OS 4.0 through 6.2	spanning-tree vlan	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	March 5, 2009 2.0.0

¹⁰ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

“vrrp” hierarchies

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco’s CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears ¹¹	Date On Which Arista Added Command to Source Code & EOS Version
vrrp authentication	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	vrrp authentication	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 8, 2009 4.3.0
vrrp delay reload	Cisco IOS 15.1 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	vrrp delay reload	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	September 16, 2013 4.13.0
vrrp description	Cisco IOS 12.0 through 15.4; IOS XE 3.5	vrrp description	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 8, 2009 4.3.0

¹¹ At the end of this table I have provided an index correlating the specific EOS version numbers listed in this column to their corresponding user manual. My analysis is also based on my review of Arista source code, Cisco source code, documentation produced by the parties, deposition testimony, as well as testing of Cisco and Arista switches.

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears¹¹	Date On Which Arista Added Command to Source Code & EOS Version
vrrp ip	Cisco IOS 12.0 through 15.4; IOS XR 5.2; IOS XE 3.5	vrrp ip	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 8, 2009 4.3.0
vrrp ip secondary	IOS 12.0 through 15.4; IOS XE 3.5	vrrp ip secondary	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	December 15, 2009 4.4.0
vrrp preempt	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	vrrp preempt	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 8, 2009 4.3.0
vrrp priority	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	vrrp priority	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 8, 2009 4.3.0

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears¹¹	Date On Which Arista Added Command to Source Code & EOS Version
vrrp shutdown	Cisco IOS 12.4 through 15.4; IOS XE 3.5	vrrp shutdown	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 8, 2009 4.3.0
vrrp timers advertise	Cisco IOS 12.0 through 15.4; IOS XE 3.5	vrrp timers advertise	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F	June 8, 2009 4.3.0

Arista User Manuals

Date	Manual	Bates Begin	Bates End
4/8/2009	Arista Networks EOS User Manual Version 4.0.1	CSI-CLI-00007244	CSI-CLI-00007472
3/31/2010	Arista Networks EOS User Manual Version 4.4.0	CSI-CLI-00007473	CSI-CLI-00007840
3/28/2011	Arista Networks EOS User Manual Version 4.6.2	CSI-CLI-00006858	CSI-CLI-00007243
7/19/2012	Arista Networks EOS User Manual Version 4.10.0	CSI-CLI-00007841	CSI-CLI-00008984
1/22/2013	Arista Networks EOS User Manual Version 4.11.1 - Rev. 2	CSI-CLI-00010517	CSI-CLI-00011972
3/1/2013	Arista Networks EOS User Manual Version 4.11.2.1	CSI-CLI-00008985	CSI-CLI-00010516
9/16/2013	Arista Networks EOS User Manual Version 4.12.4	CSI-CLI-00014141	CSI-CLI-00016000
4/14/2014	Arista Networks EOS User Manual Version 4.13.6F	CSI-CLI-00016001	CSI-CLI-00018140
6/17/2014	Arista Networks EOS User Manual Version 4.13.7M	CSI-CLI-00011973	CSI-CLI-00014140
10/2/2014	Arista Networks EOS User Manual Version 4.14.3F - Rev. 2	CSI-CLI-00018146	CSI-CLI-00020337
12/22/2014	Arista Networks EOS User Manual Version 4.14.5F - Rev. 2	CSI-CLI-00000084	CSI-CLI-00002331
1/19/2015	Arista Networks EOS User Manual Version 4.14.6M	CSI-CLI-00004616	CSI-CLI-00006857
4/2015	Arista Networks EOS User Manual Version 4.15.OF - Rev. 2.27	CSI-CLI-00020575	CSI-CLI-00022852
4/18/2015	Arista Networks EOS User Manual Version 4.15.OF	CSI-CLI-00002332	CSI-CLI-00004615
11/20/2015	Arista Networks EOS User Manual Version 4.15.3F	CSI-CLI-06302874	CSI-CLI-06305161